INDEX TO AUTHORS

A

Allen, Willard M. The preparation of purified progestin, 591

Anderson, R. J. See PANGBORN, CHARGAFF, and ANDERSON, 43

Andrus, E. Cowles. See BUELL, STRAUSS, and ANDRUS, 645

Austin, J. Harold. See DRABKIN and AUSTIN, 719

B

Baldauf, Leon K. See BAUMANN and METZGER, 405

Bauguess, Lyle C. See BERG and BAUGUESS, 171

Bauman, L. See SPANNER and BAUMAN, 181

Baumann, Emil J., and Metzger, Nannette. The determination of iodine in blood, foods, and urine, 405

Beck, H. H. See SUPPLEE, BECK, and DORCAS, 769

Berg, Clarence P., and Bauguess, Lyle C. Tryptophane metabolism. III. The rate of absorption of *l*- and *dl*-tryptophane and tryptophane derivatives from the gastrointestinal tract of the rat, 171

Berliner, Frieda S. See HESS, GROSS, WEINSTOCK, and BERLINER, 625

Bethke, R. M., Kick, C. H., and Wilder, Willard. The effect of the calcium-phosphorus relationship on growth, calcification, and blood composition of the rat, 389

Bill, Arthur H. See MYERS, MUNTWYLER, and BILL, 253, 267

Bischoff, Fritz. See LONG and BISCHOFF, 85

Blair, H. A. See RAY, BLAIR, and THOMAS, 63

Blish, M. Eleanor. See KERR and BLISH, 193

Block, Richard J., and Cowgill, George R. The antineuritic vitamin. IV. The preparation of a highly potent concentrate, 637

—. See JACKSON and BLOCK, 465

Borsook, Henry, and Thimann, Kenneth V. The cupric complexes of glycine and of alanine, 671

Braunstein, A. E. On the effect of arsenate on blood glycolysis. A correction, 379

Brown, Helen Bennett, Shohl, Alfred T., Chapman, Edna E., Rose, Catharine S., and Saurwein, Esther M. Rickets in rats. XIII. The effect of various levels and ratios of calcium

to phosphorus in the diet upon the production of rickets, 207

Brown, Helen Bennett. See SHOHL, BROWN, CHAPMAN, ROSE, and SAURWEIN, 215

Buell, Mary V., Strauss, Margaret B., and Andrus, E. Cowles. Metabolic changes involving phosphorus and carbohydrate in the autolyzing gastrocnemius and cardiac muscles of normal, of thyroxinized, and of adrenalectomized animals, 645

Burk, Norval F. Osmotic pressure, molecular weight, and stability of serum albumin, 353

Butts, J. S. See DEUEL, GULICK, and BUTTS, 333

C

Caldwell, M. L., and Doebbeling, S. E. Influence of certain ions upon the extraction of malt amylase from alumina gel by which it has been adsorbed, 553

Chakmakjian, H. H. See REIS and CHAKMAKJIAN, 237

Chapman, Edna E. See BROWN, SHOHL, CHAPMAN, ROSE, and SAURWEIN, 207

—. See SHOHL, BROWN, CHAPMAN, ROSE, and SAURWEIN, 215

Chargaff, Erwin. See PANGBORN, CHARGAFF, and ANDERSON, 43

Conant, James B., and Pappenheimer, Alwin M., Jr. A redetermination of the oxidation potential of the hemoglobin-methemoglobin system, 57

Coolidge, Thomas B. Cytochrome and yeast iron, 755

Cooper, Mary A. See QUICK, 157, 537

Cortese, Frank. See LEVENE and CORTESE, 17

Cowgill, George R. See BLOCK and COWGILL, 637

D

Deuel, Harry J., Jr., Gulick, Margaret, and Butts, J. S. Studies on ketosis. II. The comparative ketolytic action of glucose, galactose, fructose, and sucrose, 333

Doebbeling, S. E. See CALDWELL and DOEBBELING, 553

Doisy, Edward A. See KATZMAN and DOISY, 739

Dorcas, M. J. See SUPPLEE, BECK, and DORCAS, 769

Dorfmann, Ralph. See DU VIGNEAUD, DORFMANN, and LORING, 577

Drabkin, David L., and Austin, J. Harold. Spectrophotometric studies. I. Spectrophotometric constants for common hemoglobin derivatives in human, dog, and rabbit blood, 719

Dutcher, R. Adams. See GUERRANT and DUTCHER, 225

E

Elvehjem, C. A., and Sherman, W. C. The action of copper in iron metabolism, 309

Elvehjem, C. A. See KLINE, KEENAN, ELVEHJEM, and HART, 121

G

Greenberg, David M., and **Mackey, Myrtle A.** The effect of parathyroid extract on blood magnesium, 765

Gross, Joseph. See HESS, GROSS, WEINSTOCK, and BERLINER, 625

Guerrant, N. B., and **Dutcher, R. Adams.** The assay of vitamins B and G as influenced by coprophagy, 225

Gulick, Margaret. See DEUEL, GULICK, and BUTTS, 333

H

Halliday, Nellie. The effect of heat at varying concentrations of hydrogen ion on vitamin B (B_1) in protein-free milk, 707

Harris, Stanton A. See LEVENE and HARRIS, 9

Hart, E. B. See KLINE, KEENAN, ELVEHJEM, and HART, 121

Hendricks, Sterling B. See MARKLEY, HENDRICKS, and SANDO, 103

Hess, Alfred F., Gross, Joseph, Weinstock, Mildred, and **Berliner, Frieda S.** The calcium and phosphorus content of the brain in experimental rickets and tetany, 625

Hill, Elsie, and **Koehler, Alfred E.** The effect of epinephrine on lipid excretion, 185

Hiller, Veda Ellen. See HALLIDAY, 707

Howell, Stacey F. See SUMNER, KIRK, and HOWELL, 543

J

Jackson, Richard W., and **Block, Richard J.** The metabolism of cystine and methionine. The availability of methionine in supplementing a diet deficient in cystine, 465

Jensen, H., Schock, E., and **Sollers, E.** Studies on crystalline insulin. XVI. The action of ammonium hydroxide and of iodine on insulin, 93

— and **Wintersteiner, Oskar.** Studies on crystalline insulin. XVII. The hydrolysis products of insulin, 281

Jukes, T. H., and **Kay, H. D.** The basic amino acids of livetin, 783

K

Katzman, Philip A., and **Doisy, Edward A.** Preparation of extracts of the anterior pituitary-like substance of urine of pregnancy, 739

Kay, H. D. See JUKES and KAY, 783

Keenan, J. A. See KLINE, KEENAN, ELVEHJEM, and HART, 121

Kerr, Stanley E., and **Blish, M. Eleanor.** A method for the determination of nucleotides in blood and muscle, 193

Kick, C. H. See BETHKE, KICK, and WILDER, 389

Kirk, J. Stanley. See SUMNER, KIRK, and HOWELL, 543

Kline, O. L., Keenan, J. A., Elvehjem, C. A., and **Hart, E. B.** Lactose in nutrition, 121

Koehler, Alfred E. See HILL and KOEHLER, 185

Kung, Lan-Chên. See ROSE and KUNG, 417

Kydd, David M., Oard, Harry C., and **Peters, John P.** The acid-base equilibrium in abnormal pregnancy, 241

— and **Peters, John P.** The alleged alkalosis in pregnancy, 261

L

Larson, Hardy W. The effect of urea on glucose determination by the formose reaction, 151

Levene, P. A., and **Cortese, Frank.** A note on the use of 1-bromotetramethylglucose for the synthesis of methylated glycosides, 17

— and **Harris, Stanton A.** The ribosephosphoric acid from xanthylic acid. II, 9

— and **Marker, R. E.** Maximum rotations and correlation of disubstituted acetic acids containing a methyl group, 1

— and **Steiger, Robert E.** Studies on racemization. XI. Action of alkali on polypeptides, 321

— and **Walti, A.** Phytochemical reduction of 1-hydroxy-2-oxo-heptane (heptanol-1-one-2), 735

Levene, P. A. See LIPMANN and LEVENE, 109

Lewis, Howard B. See MILLER and LEWIS, 133, 141

—. See WHITE and LEWIS, 607

Lipmann, Fritz A., and **Levene, P. A.** Serinephosphoric acid obtained on hydrolysis of vitellinic acid, 109

Long, M. Louisa, and **Bischoff, Fritz.** A carbohydrate balance sheet for the adrenalinized fasting rat sacrificed in the recovery period, 85

Loring, Hubert S. See DU VIGNEAUD, DORFMANN, and LORING, 577

M

Mackey, Myrtle A. See GREENBERG and MACKEY, 765

Marker, R. E. See LEVENE and MARKER, 1

Markley, K. S., Hendricks, Sterling B., and **Sando, Charles E.** Further studies on the waxlike coating of apples, 103

McCollum, E. V. See ORENT and MCCOLLUM, 101

McIntyre, A. R. The concentrations and distribution of potassium in the serum and cells in the blood of normal unanesthetized dogs, 115

Metzger, Nannette. See BAUMANN and METZGER, 405

Meyer, Curtis E. See DU VIGNEAUD and MEYER, 295

Miller, Mabel M., and **Lewis, Howard B.** Pentose metab-

olism. I. The rate of absorption of *d*-xylose and the formation of glycogen in the organism of the white rat after oral administration of *d*-xylose, 133

Miller, Mabel M., and **Lewis, Howard B.** II. The pentose content of the tissues of the white rat after the oral administration of *d*-xylose, 141

Monaghan, Betty R. The effect of dietary deficiencies on phospholipid metabolism, 21

Morgulis, Sergius, and **Pinto, Sherman.** Studies on blood glycolysis. I. Effect of arsenate. A reply, 385

Morrison, C. A. See PIERCE, 509

Mulder, Arthur G., Phillips, Irwin E., and **Visscher, Maurice B.** The urinary excretion of inorganic phosphate in fasting with particular reference to the effect of exercise, 269

Muntwyler, Edward. See MYERS, MUNTWYLER, and BILL, 253, 267

Myers, Victor C., Muntwyler, Edward, and **Bill, Arthur H.** The acid-base balance disturbance of pregnancy, 253

—, —, and —. The alleged alkalosis in pregnancy. A reply to the paper of Kydd and Peters, 267

O

Oard, Harry C. See KYDD, OARD, and PETERS, 241

Orent, Elsa R., and **McCollum, E. V.** The estrual cycle in rats on a manganese-free diet, 101

P

Pangborn, Mary C., Chargaff, Erwin, and **Anderson, R. J.** The chemistry of the lipids of tubercle bacilli. XXXI. The composition of the acetone-soluble fat of the timothy bacillus, 43

Pappenheimer, Alwin M., Jr. See CONANT and PAPPENHEIMER, 57

Peters, John P. See KYDD, OARD, and PETERS, 241

—. See KYDD and PETERS, 261

Phillips, Irwin E. See MULDER, PHILLIPS, and VISSCHER, 269

Pierce, H. B. The effects of yeast ingestion on the composition of the urine and feces, 509

Pierce, M. S. See PIERCE, 509

Pinto, Sherman. See MORGULIS and PINTO, 385

Posson, D. D. See PIERCE, 509

Q

Quick, Armand J. Quantitative studies of β oxidation. V. The effect of insulin and of acetoacetic acid on the production of glycuronic acid, 537

—. The relationship between chemical structure and physiological response. III. Factors influencing the excretion of uric acid, 157

R

Ray, G. B., Blair, H. A., and **Thomas, C. I.** The spectrophotometric determination of certain blood pigments, 63

Reis, Frederick, and **Chakmakjian, H. H.** Determination of iron in cow's milk and human milk, 237

Rose, Catharine S. See BROWN, SHOHL, CHAPMAN, ROSE, and SAURWEIN, 207

—. See SHOHL, BROWN, CHAPMAN, ROSE, and SAURWEIN, 215

Rose, Mary Swartz, and **Kung, Lan-Chên.** Factors in food influencing hemoglobin regeneration. II. Liver in comparison with whole wheat and prepared bran, 417

Rose, William C. See ST. JULIAN and ROSE, 439, 445, 457

S

St. Julian, R. Reder, and **Rose, William C.** The possible interchangeability in nutrition of certain 5-carbon amino acids, 457

— and —. Proline and hydroxyproline in nutrition, 445

— and —. The relation of the dicarboxylic amino acids to nutrition, 439

Sando, Charles E. See MARKLEY, HENDRICKS, and SANDO, 103

Saurwein, Esther M. See BROWN, SHOHL, CHAPMAN, ROSE, and SAURWEIN, 207

Saurwein, Esther M. See SHOHL, BROWN, CHAPMAN, ROSE, and SAURWEIN, 215

Schock, E. See JENSEN, SCHOCK, and SOLLERS, 93

Sealock, Robert Ridgely. See DU VIGNEAUD, SEALOCK, and VAN ETTEN, 565

Sherman, W. C. See ELVEHJEM and SHERMAN, 309

Shohl, Alfred T., Brown, Helen Bennett, Chapman, Edna E., Rose, Catharine S., and **Saurwein, Esther M.** Rickets in rats. XIV. A diet which demonstrates the effect of the acid-base content upon the production of rickets and also causes iodiopathic tetany, 215

—. See BROWN, SHOHL, CHAPMAN, ROSE, and SAURWEIN, 207

Smith, Arthur H. See SWANSON and SMITH, 479, 499

Sobotka, Harry. See TUCHMAN and SOBOTKA, 35

Sollers, E. See JENSEN, SCHOCK, and SOLLERS, 93

Spanner, G. O., and **Bauman, L.** The behavior of cholesterol and other bile constituents in solutions of bile salts, 181

Steiger, Robert E. See LEVENE and STEIGER, 321

Steiner, Alexander, Urban, Frank, and **West, Edward S.** Iron and thorium precipitation of biological fluids for sugar and other analyses, 289

Strauss, Margaret B. See BUELL, STRAUSS, and ANDRUS, 645

Sumner, James B., Kirk, J. Stanley, and **Howell, Stacey F.** The digestion and inactivation of crystalline urease by pepsin and by papain, 543

Supplee, G. C., Beck, H. H., and **Dorcas, M. J.** Irradiated milk: the influence of the intensity and character of the radiations on the antirachitic potency, 769

Swanson, Pearl P., and **Smith, Arthur H.** Inorganic salts in nutrition. IV. Changes induced in the blood by a ration deficient in inorganic constituents, 479

— and —. V. Progressive changes in the blood of rats maintained upon a ration poor in inorganic salts, 499

T

Thimann, Kenneth V. See Borsook and Thimann, 671

Thomas, C. I. See Ray, Blair, and Thomas, 63

Tuchman, L. R., and **Sobotka, Harry.** A comparison of the Wu and Kjeldahl methods of serum protein determination, 35

U

Urban, Frank. See Steiner, Urban, and West, 289

V

Van Etten, Cecil. See du Vigneaud, Sealock, and Van Etten, 565

du Vigneaud, Vincent, Dorfmann, Ralph, and **Loring, Hubert S.** A comparison of the growth-promoting properties of *d*- and *l*-cystine, 577

— and **Meyer, Curtis E.** The racemization of amino acids in aqueous solution by acetic anhydride, 295

—, **Sealock, Robert Ridgely,** and **Van Etten, Cecil.** The availability of *d*-tryptophane and its acetyl derivative to the animal body, 565

—. See Pierce, 509

du Vigneaud, Z. See Pierce, 509

Visscher, Maurice B. See Mulder, Phillips, and Visscher, 269

W

Walti, A. See Levene and Walti, 735

Weinstock, Mildred. See Hess, Gross, Weinstock, and Berliner, 625

West, Edward S. See Steiner, Urban, and West, 289

White, Abraham, and **Lewis, Howard B.** The metabolism of sulfur. XIX. The distribution of urinary sulfur in the dog after the oral administration of monobromobenzene as influenced by the character of the dietary protein and by the feeding of *l*-cystine and *dl*-methionine, 607

Wilder, Willard. See Bethke, Kick, and Wilder, 389

Wintersteiner, Oskar. See Jensen and Wintersteiner, 281

INDEX TO SUBJECTS

A

Absorption:
Tryptophane derivatives, gastrointestinal tract (BERG and BAUGUESS) 171
dl-Tryptophane and derivatives, gastrointestinal tract (BERG and BAUGUESS) 171
l-Tryptophane and derivatives, gastrointestinal tract (BERG and BAUGUESS) 171
d-Xylose, *d*-xylose ingestion effect (MILLER and LEWIS) 133

Acetic acids:
Disubstituted, with methyl group, rotations, correlation (LEVENE and MARKER) 1

Acetic anhydride:
Amino acids, racemization effect (DU VIGNEAUD and MEYER) 295

Acetoacetic acid:
Glycuronic acid production, influence (QUICK) 537

Acetone:
-Soluble fat, timothy bacillus (PANGBORN, CHARGAFF, and ANDERSON) 43

Acetyl-*d*-tryptophane:
Animal body, availability (DU VIGNEAUD, SEALOCK, and VAN ETTEN) 565

Acid-base:
Balance, pregnancy (MYERS, MUNTWYLER, and BILL) 253
Diet content, rickets production (SHOHL, BROWN, CHAPMAN, ROSE, and SAURWEIN) 215
— —, tetany cause (SHOHL, BROWN, CHAPMAN, ROSE, and SAURWEIN) 215
Equilibrium, pregnancy, abnormal (KYDD, OARD, and PETERS) 241

Adrenal:
Muscle, cardiac, autolyzing, carbohydrate metabolism, adrenalectomy effect (BUELL, STRAUSS, and ANDRUS) 645
—, —, —, phosphorus metabolism, adrenalectomy effect (BUELL, STRAUSS, and ANDRUS) 645
—, gastrocnemius, autolyzing, carbohydrate metabolism, adrenalectomy effect (BUELL, STRAUSS, and ANDRUS) 645
—, —, —, phosphorus metabolism, adrenalectomy

Adrenal—*continued:*
effect (BUELL, STRAUSS, and ANDRUS) 645
Adrenalin:
Carbohydrate metabolism, fasting rat, effect (LONG and BISCHOFF) 85
Alanine:
Cupric complexes (BORSOOK and THIMANN) 671
Albumin:
Blood serum, molecular weight (BURK) 353
— —, osmotic pressure (BURK) 353
Alkali:
Polypeptides, racemization effect (LEVENE and STEIGER) 321
Alkalosis:
Pregnancy (KYDD and PETERS) 261
(MYERS, MUNTWYLER, and BILL) 267
Amino acid(s):
Basic, livetin (JUKES and KAY) 783
5-Carbon, nutrition, interchangeability (ST. JULIAN and ROSE) 457
Dicarboxylic, nutrition, relation (ST. JULIAN and ROSE) 439
Racemization, acetic anhydride (DU VIGNEAUD and MEYER) 295
Ammonium hydroxide:
Insulin, crystalline, action (JENSEN, SCHOCK, and SOLLERS) 93
Amylase:
Malt, extraction from alumina gel, ion influence (CALDWELL and DOEBBELING) 553
Apple:
Coating, wax-like (MARKLEY, HENDRICKS, and SANDO) 103
Arsenate:
Blood glycolysis, effect (BRAUNSTEIN) 379
(MORGULIS and PINTO) 385

B

Bacillus:
Timothy. *See* Timothy bacillus.
Tubercle. *See* Tubercle bacillus.
Benzene:
Monobromo-, urine sulfur, *l*-cystine, ingestion effect (WHITE and LEWIS) 607
Bile:
Constituents, bile salts solutions, behavior (SPANNER and BAUMAN) 181
Bile salts:
Solutions, bile constituents, behavior (SPANNER and BAUMAN) 181
—, cholesterol behavior (SPANNER and BAUMAN) 181
Biological fluids:
Sugar determination, iron precipitation (STEINER, URBAN, and WEST) 289
— —, thorium precipitation (STEINER, URBAN, and WEST) 289

Blood:
Calcium-phosphorus ratio, diet, effect (BETHKE, KICK, and WILDER) 389
Glycolysis. I (MORGULIS and PINTO) 385
—, arsenate effect (BRAUNSTEIN) 379
(MORGULIS and PINTO) 385
Hemoglobin derivatives, spectrophotometric constants (DRABKIN and AUSTIN) 719
Iodine determination (BAUMANN and METZGER) 405
Magnesium, parathyroid extract effect (GREENBERG and MACKEY) 765
Nucleotide determination (KERR and BLISH) 193
Pigment determination, spectrophotometric (RAY, BLAIR, and THOMAS) 63
Ration deficient in inorganic constituents, effect (SWANSON and SMITH) 479
— poor in inorganic salts, effect (SWANSON and SMITH) 499
Blood cell:
Potassium, blood serum and, distribution between (MCINTYRE) 115
Blood serum:
Albumin, molecular weight (BURK) 353
—, osmotic pressure (BURK) 353
Blood serum—*continued:*
Potassium, blood cells and, distribution between (MCINTYRE) 115
Protein determination, Wu and Kjeldahl methods, comparison (TUCHMAN and SOBOTKA) 35
Brain:
Calcium, rickets (HESS, GROSS, WEINSTOCK, and BERLINER) 625
—, tetany (HESS, GROSS, WEINSTOCK, and BERLINER) 625
Phosphorus, rickets (HESS, GROSS, WEINSTOCK, and BERLINER) 625
—, tetany (HESS, GROSS, WEINSTOCK, and BERLINER) 625
Bran:
Prepared, hemoglobin regeneration (ROSE and KUNG) 417
1-Bromotetramethylglucose:
Glycosides, methylated, use in synthesis (LEVENE and CORTESE) 17

C

Calcification:
Calcium-phosphorus ratio, effect (BETHKE, KICK, and WILDER) 389
Calcium:
Brain, rickets (HESS, GROSS, WEINSTOCK, and BERLINER) 625
—, tetany (HESS, GROSS, WEINSTOCK, and BERLINER) 625

Calcium—*continued:*
-Phosphorus levels, diet, rickets production (BROWN, SHOHL, CHAPMAN, ROSE, and SAURWEIN) 207
— ratio, blood effect (BETHKE, KICK, and WILDER) 389
— —, calcification effect (BETHKE, KICK, and WILDER) 389
— —, diet, rickets production (BROWN, SHOHL, CHAPMAN, ROSE, and SAURWEIN) 207
— —, growth effect (BETHKE, KICK, and WILDER) 389
Carbohydrate:
Metabolism, adrenalinized fasting rat (LONG and BISCHOFF) 85
Muscle, cardiac, autolyzing, adrenalectomy, changes (BUELL, STRAUSS, and ANDRUS) 645
—, —, —, changes (BUELL, STRAUSS, and ANDRUS) 645
—, —, —, thyroxinized animal, changes (BUELL, STRAUSS, and ANDRUS) 645
—, gastrocnemius, autolyzing, adrenalectomy, changes (BUELL, STRAUSS, and ANDRUS) 645
—, —, —, changes (BUELL, STRAUSS, and ANDRUS) 645
—, —, —, thyroxinized animal, changes (BUELL, STRAUSS, and ANDRUS) 645
Carbohydrate—*continued:*
Chemical constitution:
Physiological response, relation. III (QUICK) 157
Cholesterol:
Bile salts solutions, behavior (SPANNER and BAUMAN) 181
Copper:
Alanine complexes (BORSOOK and THIMANN) 671
Glycine complexes (BORSOOK and THIMANN) 671
Iron metabolism, action (ELVEHJEM and SHERMAN) 309
Coprophagy:
Vitamin B assay, influence (GUERRANT and DUTCHER) 225
— G assay, influence (GUERRANT and DUTCHER) 225
Cystine:
-Deficient diet, methionine supplement (JACKSON and BLOCK) 465
Metabolism (JACKSON and BLOCK) 465
***d*-Cystine:**
l-Cystine and, growth-promoting properties, comparison (DU VIGNEAUD, DORFMANN, and LORING) 577
***l*-Cystine:**
d-Cystine and, growth-promoting properties, comparison (DU VIGNEAUD,

l-Cystine—*continued:*
DORFMANN, and LORING) 577
Urine sulfur, monobromobenzene ingestion, relation (WHITE and LEWIS) 607
Cytochrome:
Yeast iron and (COOLIDGE) 755

D

Diet:
Acid-base content, rickets production (SHOHL, BROWN, CHAPMAN, ROSE, and SAURWEIN) 215
— —, tetany cause (SHOHL, BROWN, CHAPMAN, ROSE, and SAURWEIN) 215
Calcium-phosphorus levels, rickets production (BROWN, SHOHL, CHAPMAN, ROSE, and SAURWEIN) 207
— ratio, blood effect (BETHKE, KICK, and WILDER) 389
— —, calcification effect (BETHKE, KICK, and WILDER) 389
— —, growth effect (BETHKE, KICK, and WILDER) 389
— —, rickets production (BROWN, SHOHL, CHAPMAN, ROSE, and SAURWEIN) 207
Cystine-deficient, methionine supplement (JACKSON and BLOCK) 465
Deficient, phospholipid metabolism, effect (MONAGHAN) 21
Diet—*continued:*
Manganese-free, estrus effect (ORENT and MCCOLLUM) 101
See also Food, Nutrition, Ration.

E

Enzyme:
See also Amylase, Papain, Pepsin, Urease.
Epinephrine:
Lipid excretion, effect (HILL and KOEHLER) 185
Estrus:
Manganese-free diet effect (ORENT and MCCOLLUM) 101
Excretion:
Lipid, epinephrine effect (HILL and KOEHLER) 185
Phosphate, inorganic, urine, fasting, exercise effect (MULDER, PHILLIPS, and VISSCHER) 269
Uric acid, factors influencing (QUICK) 157
Exercise:
Phosphate, inorganic, excretion, urine, fasting, effect (MULDER, PHILLIPS, and VISSCHER) 269

F

Fasting:
Carbohydrate metabolism, adrenalin effect (LONG and BISCHOFF) 85
Phosphate, inorganic, excretion, urine, exercise effect (MULDER, PHILLIPS, and VISSCHER) 269

Fat:
Acetone-soluble, timothy bacillus (PANGBORN, CHARGAFF, and ANDERSON) 43

Feces:
Yeast ingestion effect (PIERCE) 509
See also Coprophagy.

Food:
Hemoglobin regeneration, factors influencing. II (ROSE and KUNG) 417
Iodine determination (BAUMANN and METZGER) 405

Fructose:
Ketolytic action, other sugars, comparison (DEUEL, GULICK, and BUTTS) 333

G

Galactose:
Ketolytic action, other sugars, comparison (DEUEL, GULICK, and BUTTS) 333

Gastrointestinal tract:
Tryptophane derivatives, absorption (BERG and BAUGUESS) 171
dl-Tryptophane and derivatives, absorption (BERG and BAUGUESS) 171
l-Tryptophane and derivatives, absorption (BERG and BAUGUESS) 171

Glucose:
1-Bromotetramethyl-, glycosides, methylated, use in synthesis (LEVENE and CORTESE) 17
Determination, formose reaction, urea effect (LARSON) 151
Ketolytic action, other sugars, comparison (DEUEL, GULICK, and BUTTS) 333

Glycine:
Cupric complexes (BORSOOK and THIMANN) 671

Glycogen:
Formation, *d*-xylose ingestion effect (MILLER and LEWIS) 133

Glycolysis:
Blood. I (MORGULIS and PINTO) 385
—, arsenate effect (BRAUNSTEIN) 379
(MORGULIS and PINTO) 385

Glycosides:
Methylated, synthesis, 1-bromotetramethylglucose for (LEVENE and CORTESE) 17

Glycuronic acid:
Production, acetoacetic acid effect (QUICK) 537
—, insulin effect (QUICK) 537

Growth:
Calcium-phosphorus ratio, effect (BETHKE, KICK, and WILDER) 389
-Promoting properties, *d*- and *l*-cystine, comparison (DU VIGNEAUD, DORFMANN, and LORING) 577

H

Heart:
Muscle, autolyzing, carbohydrate metabolism (BUELL, STRAUSS, and ANDRUS) 645
—, —, — —, adrenalectomy (BUELL, STRAUSS, and ANDRUS) 645
—, —, — —, thyroxinized animal (BUELL, STRAUSS, and ANDRUS) 645
—, —, phosphorus metabolism (BUELL, STRAUSS, and ANDRUS) 645
—, —, — —, adrenalectomy (BUELL, STRAUSS, and ANDRUS) 645
—, —, — —, thyroxinized animal (BUELL, STRAUSS, and ANDRUS) 645

Heat:
Vitamin B_1, milk, protein-free, effect, varying hydrogen ion concentration (HALLIDAY) 707

Hemoglobin:
Derivatives, blood, spectrophotometric constants (DRABKIN and AUSTIN) 719
-Methemoglobin system, oxidation potential, determination (CONANT and PAPPENHEIMER) 57
Regeneration, bran, prepared, influence (ROSE and KUNG) 417
—, food factors influencing. II (ROSE and KUNG) 417
—, liver influence (ROSE and KUNG) 417

Hemoglobin—*continued:*
Regeneration, whole wheat influence (ROSE and KUNG) 417

Heptane:
1-Hydroxy-2-oxo-, reduction, phytochemical (LEVENE and WALTI) 735

Heptanol-1-one-2:
Reduction, phytochemical (LEVENE and WALTI) 735

Hydrogen ion concentration:
Vitamin B_1, milk, protein-free, heat effect (HALLIDAY) 707

1-Hydroxy-2-oxo-heptane:
Reduction, phytochemical (LEVENE and WALTI) 735

Hydroxyproline:
Nutrition, rôle (ST. JULIAN and ROSE) 445

I

Inorganic constituents:
Ration deficient in, blood effect (SWANSON and SMITH) 479

Inorganic salts:
Nutrition. IV (SWANSON and SMITH) 479
V (SWANSON and SMITH) 499
Ration poor in, blood effect (SWANSON and SMITH) 499

Insulin:
Crystalline. XVI (JENSEN, SCHOCK, and SOLLERS) 93
XVII (JENSEN and WINTERSTEINER) 281

Insulin—*continued:*
Crystalline, ammonium hydroxide action (JENSEN, SCHOCK, and SOLLERS) 93
—, hydrolysis products (JENSEN and WINTERSTEINER) 281
—, iodine action (JENSEN, SCHOCK, and SOLLERS) 93
Glycuronic acid production, influence (QUICK) 537

Iodine:
Blood, determination (BAUMANN and METZGER) 405
Determination, blood (BAUMANN and METZGER) 405
—, foods (BAUMANN and METZGER) 405
—, urine (BAUMANN and METZGER) 405
Food, determination (BAUMANN and METZGER) 405
Insulin, crystalline, action (JENSEN, SCHOCK, and SOLLERS) 93
Urine, determination (BAUMANN and METZGER) 405

Ion:
Amylase, malt, extraction from alumina gel, influence (CALDWELL and DOEBBELING) 553

Iron:
Determination, milk (REIS and CHAKMAKJIAN) 237

Iron—*continued:*
Metabolism, copper action (ELVEHJEM and SHERMAN) 309
Milk, determination (REIS and CHAKMAKJIAN) 237
Sugar determination, biological fluids, precipitation (STEINER, URBAN, and WEST) 289
Yeast, cytochrome and (COOLIDGE) 755

Irradiation:
Milk, antirachitic potency, radiations, intensity and character, influence (SUPPLEE, BECK, and DORCAS) 769

K

Ketolytic action:
Fructose, other sugars, comparison (DEUEL, GULICK, and BUTTS) 333
Galactose, other sugars, comparison (DEUEL, GULICK, and BUTTS) 333
Glucose, other sugars, comparison (DEUEL, GULICK, and BUTTS) 333
Sucrose, other sugars, comparison (DEUEL, GULICK, and BUTTS) 333

Ketosis:
II (DEUEL, GULICK, and BUTTS) 333

Kjeldahl:
Blood serum protein determination, Wu method, comparison (TUCHMAN and SOBOTKA) 35

XUM

L

Lactose:
Nutrition, rôle (KLINE, KEENAN, ELVEHJEM, and HART) 121

Lipid(s):
Excretion, epinephrine effect (HILL and KOEHLER) 185
Tubercle bacillus, chemistry. XXXI (PANGBORN, CHARGAFF, and ANDERSON) 43

Liver:
Hemoglobin regeneration (ROSE and KUNG) 417

Livetin:
Amino acids, basic (JUKES and KAY) 783

Lusk, Graham:
Obituary, preceding p. 1

M

Magnesium:
Blood, parathyroid extract effect (GREENBERG and MACKEY) 765

Malt:
Amylase extraction from alumina gel, ion influence (CALDWELL and DOEBBELING) 553

Manganese:
-Free diet, estrus effect (ORENT and MCCOLLUM) 101

Metabolism:
Carbohydrate, adrenalinized fasting rat (LONG and BISCHOFF) 85

Metabolism—*continued:*
Carbohydrate, cardiac muscle, autolyzing (BUELL, STRAUSS, and ANDRUS) 645
—, — —, —, adrenalectomy (BUELL, STRAUSS, and ANDRUS) 645
—, — —, —, thyroxinized animal (BUELL, STRAUSS, and ANDRUS) 645
—, gastrocnemius muscle, autolyzing (BUELL, STRAUSS, and ANDRUS) 645
—, — —, —, adrenalectomy (BUELL, STRAUSS, and ANDRUS) 645
—, — —, —, thyroxinized animal (BUELL, STRAUSS, and ANDRUS) 645
Cystine (JACKSON and BLOCK) 465
Iron, copper action (ELVEHJEM and SHERMAN) 309
Methionine (JACKSON and BLOCK) 465
Pentose. I (MILLER and LEWIS) 133
II (MILLER and LEWIS) 141
Phospholipid, dietary deficiencies, effect (MONAGHAN) 21
Phosphorus, cardiac muscle, autolyzing (BUELL, STRAUSS, and ANDRUS) 645
—, — —, —, adrenalectomy (BUELL, STRAUSS, and ANDRUS) 645

Metabolism—*continued:*
Phosphorus, cardiac muscle, autolyzing, thyroxinized animal (Buell, Strauss, and Andrus) 645
—, gastrocnemius muscle, autolyzing (Buell, Strauss, and Andrus) 645
—, — —, —, adrenalectomy (Buell, Strauss, and Andrus) 645
—, — —, —, thyroxinized animal (Buell, Strauss, and Andrus) 645
Sulfur. XIX (White and Lewis) 607
Tryptophane. III (Berg and Bauguess) 171

Methemoglobin:
Hemoglobin-, system, oxidation potential, determination (Conant and Pappenheimer) 57

Methionine:
Cystine-deficient diet, supplement (Jackson and Block) 465
Metabolism (Jackson and Block) 465

***dl*-Methionine:**
Urine sulfur, monobromobenzene ingestion, relation (White and Lewis) 607

Milk:
Iron determination (Reis and Chakmakjian) 237
Irradiated, antirachitic potency, radiations, intensity and character, influence (Supplee, Beck, and Dorcas) 769
Protein-free, vitamin B_1, heat effect, varying hydrogen ion concentration (Halliday) 707

Molecular weight:
Blood serum albumin (Burk) 353

Monobromobenzene:
Urine sulfur, *l*-cystine, ingestion effect (White and Lewis) 607
— —, *dl*-methionine, ingestion effect (White and Lewis) 607
— —, protein in diet, ingestion effect (White and Lewis) 607

Muscle:
Cardiac, autolyzing, carbohydrate metabolism (Buell, Strauss, and Andrus) 645
—, —, — —, adrenalectomy (Buell, Strauss, and Andrus) 645
—, —, — —, thyroxinized animal (Buell, Strauss, and Andrus) 645
—, —, phosphorus metabolism (Buell, Strauss, and Andrus) 645
—, —, — —, adrenalectomy (Buell, Strauss, and Andrus) 645
—, —, — —, thyroxinized animal (Buell, Strauss, and Andrus) 645
Gastrocnemius, autolyzing, carbohydrate metabolism

XUM

Muscle—*continued:*
(Buell, Strauss, and Andrus) 645
Gastrocnemius, autolyzing, carbohydrate metabolism, adrenalectomy (Buell, Strauss, and Andrus) 645
—, —, — —, thyroxinized animal (Buell, Strauss, and Andrus) 645
—, —, phosphorus metabolism (Buell, Strauss, and Andrus) 645
—, —, — —, adrenalectomy (Buell, Strauss, and Andrus) 645
—, —, — —, thyroxinized animal (Buell, Strauss, and Andrus) 645
Nucleotide determination (Kerr and Blish) 193

N

Neuritis:
Antineuritic vitamin. IV (Block and Cowgill) 637
— —, concentrate, preparation (Block and Cowgill) 637

Nucleotides:
Blood, determination (Kerr and Blish) 193
Determination, blood (Kerr and Blish) 193
—, muscle (Kerr and Blish) 193
Muscle, determination (Kerr and Blish) 193

Nutrition:
Amino acids, 5-carbon, interchangeability (St. Julian and Rose) 457
— —, dicarboxylic, relation (St. Julian and Rose) 439
Hydroxyproline rôle (St. Julian and Rose) 445
Inorganic salts. IV (Swanson and Smith) 479
V (Swanson and Smith) 499
Lactose rôle (Kline, Keenan, Elvehjem, and Hart) 121
Proline rôle (St. Julian and Rose) 445

O

Obituary:
Lusk, Graham, preceding p. 1

Optical rotation:
Acetic acids, disubstituted, with methyl group (Levene and Marker) 1

Osmotic pressure:
Blood serum albumin (Burk) 353

Oxidation:
Beta. V (Quick) 537
Potential, hemoglobin-methemoglobin system, determination (Conant and Pappenheimer) 57

P

Papain:
Urease, crystalline, digestion by (Sumner, Kirk, and Howell) 543

Papain—*continued:*
Urease, crystalline, inactivation by (SUMNER, KIRK, and HOWELL) 543
Parathyroid:
Extract, blood magnesium, effect (GREENBERG and MACKEY) 765
Pentose:
Metabolism. I (MILLER and LEWIS) 133
II (MILLER and LEWIS) 141
Tissues, *d*-xylose ingestion effect (MILLER and LEWIS) 141
Pepsin:
Urease, crystalline, digestion by (SUMNER, KIRK, and HOWELL) 543
—, —, inactivation by (SUMNER, KIRK, and HOWELL) 543
Phosphate:
Inorganic, excretion, urine, fasting, exercise effect (MULDER, PHILLIPS, and VISSCHER) 269
Phospholipid:
Metabolism, dietary deficiencies, effect (MONAGHAN) 21
Phosphoric acid:
Ribose-, xanthylic acid, formation. II (LEVENE and HARRIS) 9
Phosphorus:
Brain, rickets (HESS, GROSS, WEINSTOCK, and BERLINER) 625
—, tetany (HESS, GROSS, WEINSTOCK, and BERLINER) 625
Phorphorus—*continued:*
Calcium-, levels, diet, rickets production (BROWN, SHOHL, CHAPMAN, ROSE, and SAURWEIN) 207
—, ratio, blood effect (BETHKE, KICK, and WILDER) 389
—, —, calcification effect (BETHKE, KICK, and WILDER) 389
—, —, diet, rickets production (BROWN, SHOHL, CHAPMAN, ROSE, and SAURWEIN) 207
—, —, growth effect (BETHKE, KICK, and WILDER) 389
Muscle, cardiac, autolyzing, adrenalectomy, changes (BUELL, STRAUSS, and ANDRUS) 645
—, —, —, changes (BUELL, STRAUSS, and ANDRUS) 645
—, —, —, thyroxinized animal, changes (BUELL, STRAUSS, and ANDRUS) 645
—, gastrocnemius, autolyzing, adrenalectomy, changes (BUELL, STRAUSS, and ANDRUS) 645
—, —, —, changes (BUELL, STRAUSS, and ANDRUS) 645
—, —, —, thyroxinized animal, changes (BUELL, STRAUSS, and ANDRUS) 645
Pigment:
Blood, determination, spectrophotometric (RAY,

Pigment—*continued:*
BLAIR, and THOMAS) 63
Determination, spectrophotometric, blood (RAY, BLAIR, and THOMAS) 63

Pituitary:
-Like substance, anterior, urine, pregnancy (KATZMAN and DOISY) 739

Polypeptides:
Racemization, alkali action (LEVENE and STEIGER) 321

Potassium:
Blood cells and serum, distribution between (McINTYRE) 115
— serum and cells, distribution between (McINTYRE) 115

Potential:
Oxidation, hemoglobin-methemoglobin system, determination (CONANT and PAPPENHEIMER) 57

Pregnancy:
Abnormal, acid-base equilibrium (KYDD, OARD, and PETERS) 241
Acid-base balance (MYERS, MUNTWYLER, and BILL) 253
Alkalosis (KYDD and PETERS) 261
(MYERS, MUNTWYLER, and BILL) 267
Urine, pituitary-like substance, anterior (KATZMAN and DOISY) 739

Progestin:
Preparation (ALLEN) 591

Proline:
Hydroxy-, nutrition, rôle (ST. JULIAN and ROSE) 445
Nutrition, rôle (ST. JULIAN and ROSE) 445

Protein:
Blood serum, Wu and Kjeldahl methods, comparison (TUCHMAN and SOBOTKA) 35
Dietary, urine sulfur, monobromobenzene ingestion effect (WHITE and LEWIS) 607
-Free milk, vitamin B_1, heat effect, varying hydrogen ion concentration (HALLIDAY) 707

R

Ration:
Inorganic constituents, deficient, blood effect (SWANSON and SMITH) 479
— salts, poor in, blood effect (SWANSON and SMITH) 499
See also Diet.

Ribosephosphoric acid:
Xanthylic acid, formation. II (LEVENE and HARRIS) 9

Rickets:
XIII (BROWN, SHOHL, CHAPMAN, ROSE, and SAURWEIN) 207
XIV (SHOHL, BROWN, CHAPMAN, ROSE, and SAURWEIN) 215

XUM

Rickets—*continued:*
Acid-base content, diet, production effect (SHOHL, BROWN, CHAPMAN, ROSE, and SAURWEIN) 215
Antirachitic potency, milk, irradiated, radiations, intensity and character, influence (SUPPLEE, BECK, and DORCAS) 769
Brain calcium (HESS, GROSS, WEINSTOCK, and BERLINER) 625
— phosphorus (HESS, GROSS, WEINSTOCK, and BERLINER) 625
Calcium, brain (HESS, GROSS, WEINSTOCK, and BERLINER) 625
Calcium-phosphorus levels, diet, production effect (BROWN, SHOHL, CHAPMAN, ROSE, and SAURWEIN) 207
— ratio, diet, production effect (BROWN, SHOHL, CHAPMAN, ROSE, and SAURWEIN) 207
Phosphorus, brain (HESS, GROSS, WEINSTOCK, and BERLINER) 625

S

Serinephosphoric acid:
Vitellinic acid hydrolysis, formation (LIPMANN and LEVENE) 109
Sex:
Hormone. *See also* Progestin.
Spectrophotometric constants:
Hemoglobin derivatives, blood (DRABKIN and AUSTIN) 719
Sucrose:
Ketolytic action, other sugars, comparison (DEUEL, GULICK, and BUTTS) 333
Sugar:
Biological fluids, determination, iron precipitation (STEINER, URBAN, and WEST) 289
— —, —, thorium precipitation (STEINER, URBAN, and WEST) 289
Determination, iron precipitation, biological fluids (STEINER, URBAN, and WEST) 289
—, thorium precipitation, biological fluids (STEINER, URBAN, and WEST) 289
Sulfur:
Metabolism. XIX (WHITE and LEWIS) 607
Urine, monobromobenzene ingestion, *l*-cystine effect (WHITE and LEWIS) 607
—, — —, dietary protein effect (WHITE and LEWIS) 607
—, — —, *dl*-methionine effect (WHITE and LEWIS) 607

T

Tetany:
Acid-base content, diet, cause (SHOHL, BROWN, CHAPMAN, ROSE, and SAURWEIN) 215
Brain calcium (HESS, GROSS, WEINSTOCK, and BERLINER) 625

XUM

Tetany—*continued:*
Brain phosphorus (HESS, GROSS, WEINSTOCK, and BERLINER) 625
Calcium, brain (HESS, GROSS, WEINSTOCK, and BERLINER) 625
Phosphorus, brain (HESS, GROSS, WEINSTOCK, and BERLINER) 625

Thorium:
Sugar determination, biological fluids, precipitation (STEINER, URBAN, and WEST) 289

Thyroxine:
Muscle, cardiac, autolyzing, carbohydrate metabolism, thyroxinized animal (BUELL, STRAUSS, and ANDRUS) 645
—, —, —, phosphorus metabolism, thyroxinized animal (BUELL, STRAUSS, and ANDRUS) 645
—, gastrocnemius, autolyzing, carbohydrate metabolism, thyroxinized animal (BUELL, STRAUSS, and ANDRUS) 645
—, —, —, phosphorus metabolism, thyroxinized animal (BUELL, STRAUSS, and ANDRUS) 645

Timothy bacillus:
Fat, acetone-soluble (PANGBORN, CHARGAFF, and ANDERSON) 43

Tissue:
Pentose, *d*-xylose ingestion effect (MILLER and LEWIS) 141

Tryptophane:
Derivatives, absorption, gastrointestinal tract (BERG and BAUGUESS) 171
Metabolism. III (BERG and BAUGUESS) 171

***d*-Tryptophane:**
Acetyl-, animal body, availability (DU VIGNEAUD, SEALOCK, and VAN ETTEN) 565
Animal body, availability (DU VIGNEAUD, SEALOCK, and VAN ETTEN) 565

***dl*-Tryptophane:**
Absorption, gastrointestinal tract (BERG and BAUGUESS) 171
Derivatives, absorption, gastrointestinal tract (BERG and BAUGUESS) 171

***l*-Tryptophane:**
Absorption, gastrointestinal tract (BERG and BAUGUESS) 171
Derivatives, absorption, gastrointestinal tract (BERG and BAUGUESS) 171

Tubercle bacillus:
Lipids, chemistry. XXXI (PANGBORN, CHARGAFF, and ANDERSON) 43

U

Urea:
Glucose determination, formose reaction, effect (LARSON) 151

Urease:
Crystalline, digestion, papain (SUMNER, KIRK, and HOWELL) 543

Urease—*continued:*
Crystalline, digestion, pepsin (SUMNER, KIRK, and HOWELL) 543
—, inactivation, papain (SUMNER, KIRK, and HOWELL) 543
—, —, pepsin (SUMNER, KIRK, and HOWELL) 543
Uric acid:
Excretion, factors influencing (QUICK) 157
Urine:
Iodine determination (BAUMANN and METZGER) 405
Phosphate, inorganic, excretion, fasting, exercise effect (MULDER, PHILLIPS, and VISSCHER) 269
Pregnancy, pituitary-like substance, anterior (KATZMAN and DOISY) 739
Sulfur, monobromobenzene ingestion, *l*-cystine effect (WHITE and LEWIS) 607
—, — —, dietary protein effect (WHITE and LEWIS) 607
—, — —, *dl*-methionine effect (WHITE and LEWIS) 607
Yeast ingestion effect (PIERCE) 509

V

Vitamin:
Antineuritic. IV (BLOCK and COWGILL) 637
—, concentrate, preparation (BLOCK and COWGILL) 637
Vitamin—*continued:*
B assay, coprophagy influence (GUERRANT and DUTCHER) 225
B_1, milk, protein-free, heat effect, varying hydrogen ion concentration (HALLIDAY) 707
G assay, coprophagy influence (GUERRANT and DUTCHER) 225
Vitellinic acid:
Serinephosphoric acid formation from hydrolysis of (LIPMANN and LEVENE) 109

W

Wax:
-Like coating, apple (MARKLEY, HENDRICKS, and SANDO) 103
Wheat:
Whole, hemoglobin regeneration (ROSE and KUNG) 417
Wu:
Blood serum protein determination, Kjeldahl method, comparison (TUCHMAN and SOBOTKA) 35

X

Xanthylic acid:
Ribosephosphoric acid from. II (LEVENE and HARRIS) 9
d-**Xylose:**
Absorption, *d*-xylose ingestion effect (MILLER and LEWIS) 133

d-**Xylose**—*continued:*
Glycogen formation, ingestion effect (MILLER and LEWIS) 133
Pentose, tissues, ingestion effect (MILLER and LEWIS) 141

Y

Yeast:
Feces, ingestion effect (PIERCE) 509
Iron, cytochrome and (COOLIDGE) 755
Urine, ingestion effect (PIERCE) 509